

FlexiCoat-MAK[®]

Safety Datasheet

FLEXICOAT-MAK[®]

Issue Date: 01/03/2025
Review Date: 01/03/2030

| | |
|----------------------|---|
| Name | BOSS Passive Fire |
| Head Office | 43 Wurrook Circuit, Caringbah NSW 2229, AUSTRALIA |
| Phone | 1300 502 677 |
| International | +61 2 9524 4040 |
| Email | info@bossfire.com |
| Web | www.bossfire.com |

1. SUBSTANCE IDENTIFICATION

| | |
|---------------------------------|-----------------------------|
| Product Name | FlexiCoat-MAK [®] |
| Product Code | FCMAK-5, FCMAK-10, FCMAK-20 |
| Use of Substance/Mixture | PC1: Adhesives, sealants. |

2. CLASSIFICATION OF THE SUBSTANCE/MIXTURE

| | |
|----------------------------------|--|
| Classification under CHIP | This product has no classification under CHIP. |
| Classification under CLP | This product has no class. |
| Label Elements | This product has no label elements. |
| Other Hazards | This product is not identified as a PBT substance. |

3. FIRST AID MEASURES (SYMPTOMS)

| | |
|---------------------|--|
| Skin Contact | May be mild irritation at the site of contact. |
| Eye Contact | May be irritation and redness. |
| Ingestion | May be irritation of the throat. |
| Inhalation | No symptoms. |

4. FIRST AID MEASURES (ACTION)

| | |
|------------------------------------|--|
| Skin Contact | Wash immediately with plenty of soap and water. |
| Eye Contact | Bathe the eye with running water for 15 minutes. |
| Ingestion | Wash out mouth with water. |
| Inhalation | Consult a doctor. |
| Immediate/Special Treatment | Not Applicable. |

5. FIRE FIGHTING MEASURES

| | |
|---|--|
| Extinguishing Media | Suitable extinguishing media for the surrounding fire should be used. |
| Use water spray to cool containers | Rinse abundantly with water, seek medical advice. |
| Exposure Hazards | In combustion emits toxic fumes. |
| Advice for Fire-fighters | Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. |

6. ACCIDENTAL RELEASE MEASURES

| | |
|-----------------------------------|---|
| Personal Precautions | Refer to section 8 for personal protection details. Turn leaking containers leak-side up to prevent the escape of liquid. |
| Environmental Precautions | Do not discharge into drains or rivers. Contain the spillage using Bunding. |
| Clean-Up Procedures | Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. |
| Reference to Other Section | Refer to section 8 of this MSDS. |

7. HANDLING & STORAGE

| | |
|--------------------------------------|---|
| Precautions for Safe Handling | Refer to section 8 of this MSDS. |
| Storage Conditions | Store in cool, well-ventilated area. Keep container tightly closed. |
| Specific End Use(s) | No data available. |
| Reference to other sections | See Section 8 and 9. |

8. EXPOSURE CONTROL & PERSONAL PROTECTION

| | |
|----------------------------|---|
| Exposure Control | None available. |
| Respiratory Control | Respiratory protection not required. |
| Hand Protection | Protective gloves. |
| Eye Protection | Safety glasses with side shields. Ensure eye bath is to hand. |
| Skin Protection | Protective clothing. |

9. CONTROL PARAMETERS

| | |
|----------------------------------|--------------------|
| Workplace Exposure Limits | No data available. |
| DNEL / PNEC | No data available. |

10. PHYSICAL & CHEMICAL PROPERTIES

| | |
|--------------------------|--------------------|
| State | Liquid |
| Colour | Various |
| Relative Density | 1.25 |
| pH | Approximately 7. |
| Other Information | No data available. |

11. STABILITY & REACTIVITY

| | |
|--------------------------------------|---|
| Reactivity | Stable under recommended transport or storage conditions. |
| Chemical Stability | Stable under normal conditions. |
| Hazardous Reactions | Hazardous reactions will occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below. |
| Conditions to Avoid | Heat |
| Materials to Avoid | Strong oxidising agents. Strong acids. |
| Hazard Decomposition Products | In combustion emits toxic fumes. |

12. TOXICOLOGICAL INFORMATION

| | |
|------------------------|--|
| Toxicity Values | No data available. |
| Skin Contact | May be mild irritation at the site of contact. |
| Eye Contact | May be irritation and redness. |
| Ingestion | May be irritation of the throat. |
| Inhalation | No symptoms. |

13. ECOLOGICAL INFORMATION

| | |
|--------------------------------------|--|
| Ecotoxicity Values | No data available. |
| Persistence and Degradability | Biodegradable |
| Bioaccumulative Potential | No bioaccumulation potential. |
| Mobility | Readily absorbed into soil. |
| PBT Identification | This product is not identified as a PBT substance. |
| Other Adverse Effects | Negligible ecotoxicity. |

14. DISPOSAL CONSIDERATIONS

| | |
|--------------------------------|---|
| Waste Treatment Methods | The user's attention is drawn to the possible existence of regional or national regulations regarding disposal. |
|--------------------------------|---|

15. TRANSPORT HAZARDS

| | |
|------------------------|---|
| Transport Class | This product does not require a classification for transport. |
|------------------------|---|

16. ADDITIONAL INFORMATION

| | |
|-------------------------|--|
| Legal Disclaimer | The above information is believed to be correct but does not purport to be all inclusive and shall be used only as guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product. |
|-------------------------|--|

LIMITATION

BOSS Passive Fire Pty Ltd has provided the above technical information in good faith and to the best of its knowledge. This information was deemed to be correct at the time of publication. Should any data come to BOSS Passive Fire's attention relating to the fire resistance or performance of the product described BOSS Passive Fire reserve the right to amend this report.

BOSS Passive Fire strive to constantly improve and develop products so this information may change without notice.

The information contained herein has been developed as a guide only and it does not constitute a guarantee of compliance of all applications. Each project and/or application may have specific requirements and you should investigate these carefully. Ensure that you have read and understood the appropriate certification relative to your needs, and ensure you seek acceptance from the Certifying Authority or compliance inspector before installation. For updates on the range of BOSS Fire® certification please contact BOSS Technical Services.

FURTHER INFORMATION

For additional technical information on the performance of FlexiCoat-MAK®, other BOSS Fire® products or any other BOSS Fire® related information please contact us on:

AU: 1300 502 677

NZ: 0800 502 677

www.bossfire.com

ADMIN

+612 9524 4040

info@bossfire.com

HEAD OFFICE

43 Wurrook Circuit, Caringbah NSW 2229,
AUSTRALIA